

**URGENT DRUG WITHDRAWAL**  
**Eisai Inc.**

Event 5804  
February 18, 2020

Dear Direct Customer:

<b>PRODUCT</b>	<p><b>Product:</b></p> <ol style="list-style-type: none"><li>1. BELVIQ (lorcaserin HCl) Tablets CIV 10 mg</li><li>2. BELVIQ XR (lorcaserin HCl) Extended Release Tablets CIV 20 mg</li></ol> <p><b>NDC:</b></p> <ol style="list-style-type: none"><li>1. BELVIQ 62856-529-60</li><li>2. BELVIQ XR 62856-535-30</li></ol>
<b>REASON</b>	<p>Eisai Inc. will voluntarily withdraw from the market and discontinue sales of BELVIQ (lorcaserin HCl) CIV and BELVIQ XR (lorcaserin HCl) CIV in the U.S. This action is being taken after a request from the U.S. Food and Drug Administration (FDA) based on the Agency's recently completed analysis of data from the CAMELLIA-TIMI 61 trial. Following its review of the data, FDA concluded that the potential risks of lorcaserin outweigh its benefits. Eisai has agreed to voluntarily withdraw the products from the U.S. market.</p>
<b>REQUIRED ACTION</b>	<ol style="list-style-type: none"><li>1. <b>STOP:</b> Stop distributing this product immediately.</li><li>2. <b>COUNT:</b> Please carry out a physical count of your inventory and record this data on the Business Reply Card and the Packing Slip that are included with this letter.</li><li>3. <b>MAIL:</b> Mail the postage-paid Business Reply Card, <b>even if you do not have this product.</b></li><li>4. Please provide contact information for all consignees that have received lots of Belviq and Belviq XR. Please provide this contact list in excel format to Stericycle at <a href="mailto:EISAI5804@STERICYCLE.COM">EISAI5804@STERICYCLE.COM</a> within 5 business days.</li><li>5. <b>RETURN:</b> Return this product with the Packing Slip using the prepaid UPS Return Service shipping label to: <p style="text-align: center;">Stericycle Event: 5804 ATTN: PROCESSING CENTER 2670 EXECUTIVE DRIVE, SUITE A INDIANAPOLIS, IN 46241</p></li></ol>
<b>OTHER INFORMATION</b>	<ul style="list-style-type: none"><li>• <b>Medical Questions:</b> 888-274-2378</li><li>• <b>FDA:</b> Eisai Inc. is voluntarily conducting this market withdrawal with the full knowledge of the Food and Drug Administration.</li><li>• <b>Customer Service:</b> Please contact Stericycle at 844-491-7868 for shipping assistance, additional shipping labels or questions about the market withdrawal process.</li><li>• <b>Credit:</b> Credit will be issued to direct customers from Eisai for withdrawn product returned to the Stericycle Indianapolis location. <b>All lots are being withdrawn and credited.</b></li></ul>