

## Company Announcement

When a company announces a recall, market withdrawal, or safety alert, the FDA posts the company's announcement as a public service. FDA does not endorse either the product or the company.

# Sciegen Pharmaceuticals, Inc. Issues Voluntary Nationwide Recall of Irbesartan Tablets, USP 75 Mg, 150 Mg, and 300 Mg Due to The Detection of Trace Amounts of NDEA (N-Nitrosodiethylamine) Impurity Found in The Active Pharmaceutical Ingredient (API)

**For Immediate Release**

October 30, 2018

## Contact

### Consumers

Westminster's Regulatory Affairs

☎ 888-354-9939

Golden State Medical Supply Incorporated

☎ (800) 284-8633 ext. 215

**Media**

Siva Reddy P.V  
 ☎ (1)-855-724-3436

**Announcement**

[View Product Photos](#)

ScieGen Pharmaceuticals, Inc. is voluntarily recalling listed lots, within expiry, of Irbesartan Tablets, USP 75 mg, 150 mg, and 300 mg dosage forms to the consumer level. These products are being recalled due to the presence of an impurity, N-nitrosodiethylamine (NDEA) contained in the API Irbesartan, USP manufactured by Aurobindo Pharma Limited. This impurity, which is a substance that occurs naturally in certain foods, drinking water, air pollution, and industrial processes, has been classified as a probable human carcinogen as per International Agency for Research on Cancer (IARC)

To date, ScieGen Pharmaceuticals Inc has not received any reports of adverse events related to this product.

Irbesartan tablets, USP are indicated for the treatment of hypertension. It may be used alone or in combination with other antihypertensive agents.

Irbesartan Tablets, USP 75 mg, 150 mg, and 300 mg were manufactured by ScieGen Pharmaceuticals Inc and are labeled as Westminster Pharmaceuticals and Golden State Medical Supply, Inc [GSMS].

The recalls and returns will be managed by the respective distributors separately for the lots distributed by them as outlined below.

**Details of batches sent to Westminster**

The Irbesartan tablets subject to recall are packed in 30-count and 90-count bottles. To help identify the recalled product, the NDCs, product description, lot numbers and expiration dates are listed below. These lots were distributed nationwide in the USA to Westminster's direct accounts.

NDC#	Product Description	Lot#	Expiration Date
69367-119-01	Irbesartan 75mg Tablets, 30 count bottle	B160002A	Sep-19
69367-119-03	Irbesartan 75mg Tablets, 90 count bottle	B160002B	Sep-19
69367-120-01	Irbesartan 150mg Tablets, 30 count bottle	B161005A	Sep-19

NDC#	Product Description	Lot#	Expiration Date
		C161002A	Feb-20
69367-120-03	Irbesartan 150mg Tablets, 90 count bottle	B161005B	Sep-19
		C161002B	Feb-20
69367-121-01	Irbesartan 300mg Tablets, 30 count bottle	B162008A	Sep-19
		C162002A	Feb-20
69367-121-03	Irbesartan 300mg Tablets, 90 count bottle	B162008B	Sep-19
		C162002B	Feb-20

Westminster is notifying its direct accounts by email and by phone to immediately discontinue distribution of the product being recalled and to notify their wholesale and retail accounts of this product recall and make arrangements for impacted product to be returned to Westminster. Instructions for returning recalled products are provided in the Recall Notice Letter and Recall Response Form. Patients should return the effected medication to their pharmacy. Pharmacies should return their effected stock to their wholesaler.

If you are taking Irbesartan, please examine your tablets and look for the specific markings to determine if you're product is affected by this recall. Products can be best identified by patients as being white, oval shaped tablets debossed with SG 160; SG 161; or SG 162.

Customers and patients with medical-related questions, information about an adverse event or other questions about the Westminster's product's being recalled should contact Westminster's Regulatory Affairs department by phone at: 888-354-9939

- Live calls are received Monday-Friday, 9:00AM - 5:00PM EST with voicemail available 24 hours/day, 7 days/week or email [recalls@wprx.com \(mailto:recalls@wprx.com\)](mailto:recalls@wprx.com).

**Details of batches sent to Golden State Medical Supply, Inc [GSMS]**

The products subject to recall are packed in 30-count and 90-count bottles. To help identify the recalled product, the NDCs, Product Description, Lot numbers and Expiration dates are listed below. These lots were distributed nationwide in the USA to GSMS' direct accounts.

NDC#	Product Description	Lot#	Expiration Date
60429-641-30	Irbesartan 150mg Tablets, 30 Count Bottle	GS019526	Nov-19
		GS020252	Nov-19
		GS020958	Nov-19

NDC#	Product Description	Lot#	Expiration Date
		GS019036	Sep-19
		GS019073	Sep-19
		GS021472	Nov-19
		GS021530	Nov-19
		GS022234	Feb-20
60429-640-90	Irbesartan 75mg Tablets, 90 Count Bottle	B160003	Sep-19
		B160004	Sep-19
60429-641-90	Irbesartan 150mg Tablets, 90 Count Bottle	B161003	Sep-19
		B161004	Sep-19
		B161006	Sep-19
		B161007	Sep-19
		B161008	Nov-19
		B161009	Nov-19
		B161010	Nov-19
		C161001	Feb-20
		C161003	May-20
60429-642-90	Irbesartan 300mg Tablets, 90 Count Bottle	B162009	Sep-19
		B162010	Sep-19
		B162011	Sep-19
		B162012	Nov-19
		B162013	Nov-19
		B162014	Nov-19
		B162015	Nov-19
		C162001	Feb-20

Complete the Recall Inventory Response Form and return to Golden State Medical Supply Incorporated email: [recalls@gsms.us \(mailto:recalls@gsms.us\)](mailto:recalls@gsms.us) or by via Fax: (805) 477-9869 Contact Golden State Medical Supply Incorporated for directions on return authorizations by calling (800) 284-8633 ext. 215 between 7:30AM-4:00PM Pacific; or email: [recalls@gsms.us \(mailto:recalls@gsms.us\)](mailto:recalls@gsms.us).

If you are taking Irbesartan, please examine your tablets and look for the specific markings to determine if you're product is affected by this recall. Products can be best identified by patients as being white, oval shaped tablets debossed with SG 160; SG 161; or SG 162.

Patients should contact their pharmacist or physician who can advise them about an alternative treatment prior to returning their medication. Patients who are on Irbesartan should continue taking their medication, as the risk of harm to a patient's health may be higher if the treatment is stopped immediately without any alternative treatment. Patients should contact their physician or healthcare provider if they have experienced any problems that may be related to taking or using Irbesartan.

Adverse reactions or quality problems experienced with the use of this product may be reported to the FDA's MedWatch Adverse Event Reporting program either online, by regular mail or by fax.

- Complete and submit the report **Online:** [www.fda.gov/medwatch/report.htm](http://www.fda.gov/medwatch/report.htm) (<https://www.fda.gov/medwatch/report.htm>)

**Regular Mail or Fax:** Download form [www.fda.gov/MedWatch/getforms.htm](http://www.fda.gov/MedWatch/getforms.htm) (<https://www.fda.gov/MedWatch/getforms.htm>) or call 1-800-332-1088 to request a reporting form, then complete and return to the address on the pre-addressed form, or submit by fax to 1-800-FDA-0178

This recall is being made with the knowledge of the Food and Drug Administration.

###

#### Follow FDA

 **Follow @US\_FDA** ([https://twitter.com/US\\_FDA](https://twitter.com/US_FDA))   
(<http://AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm>)

 **Follow FDA** (<https://www.facebook.com/FDA>)   
(<http://AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm>)

 **Follow @FDARECALLS** (<https://twitter.com/fdarecalls>)   
(<http://AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm>)

 **Recent Recalled Product Photos on FDA's Flickr Photostream**  
(<https://www.flickr.com/photos/fdaphotos/sets/72157663245186459/>)   
(<http://AboutFDA/AboutThisWebsite/WebsitePolicies/Disclaimers/default.htm>)

Product Photos

Each tablet contains **Irbesartan USP, 75 mg**  
**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration  
 Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature].  
 Dispense in a light container with a child-resistant closure (as required).  
**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**NDC 69367-119-01**  
**Rx Only**

**Made in the USA**

**Irbesartan Tablets, USP** **75 mg**

**30 Tablets**

**WP Westminster**

Lot:  
Exp:

**No Varnish**

Manufactured by: **SoeGen Pharmaceuticals, Inc.**  
 Hauppauge, NY 11788  
 Manufactured for: **Westminster Pharmaceuticals, LLC**  
 Olive Branch, MS 38654

Rev: 11/15

N 3 69367-11901 6

Each tablet contains **Irbesartan USP, 75 mg**  
**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration  
 Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature].  
 Dispense in a light container with a child-resistant closure (as required).  
**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**NDC 69367-119-03**  
**Rx Only**

**Made in the USA**

**Irbesartan Tablets, USP** **75 mg**

**90 Tablets**

**WP Westminster**

Lot:  
Exp:

**No Varnish**

Manufactured by: **SoeGen Pharmaceuticals, Inc.**  
 Hauppauge, NY 11788  
 Manufactured for: **Westminster Pharmaceuticals, LLC**  
 Olive Branch, MS 38654

Rev: 11/15

N 3 69367-11903 0

Each tablet contains **Irbesartan USP, 150 mg**  
**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration  
 Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature].  
 Dispense in a light container with a child-resistant closure (as required).  
**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**NDC 69367-120-01**  
**Rx Only**

**Made in the USA**

**Irbesartan Tablets, USP** **150 mg**

**30 Tablets**

**WP Westminster**

Lot:  
Exp:

**No Varnish**

Manufactured by: **SoeGen Pharmaceuticals, Inc.**  
 Hauppauge, NY 11788  
 Manufactured for: **Westminster Pharmaceuticals, LLC**  
 Olive Branch, MS 38654

Rev: 11/15

N 3 69367-12001 2

Each tablet contains **Irbesartan USP, 150 mg**

**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature]

Dispense in a tight container with a child-resistant closure (as required)

**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**Manufactured by:** ScieGen Pharmaceuticals, Inc.  
Hauppauge, NY 11788

**Manufactured for:** Westminster Pharmaceuticals, LLC  
Olive Branch, MS 38654

Rev: 11/15

**NDC 69367-120-03**  
**R<sub>x</sub> Only**

**Made in the USA**

**Irbesartan Tablets, USP** **150 mg**

**90 Tablets**

**WP Westminster**

Lot:  
Exp.:

**No Varnish**

N 3 69367-12003 6

Each tablet contains **Irbesartan USP, 300 mg**

**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature]

Dispense in a tight container with a child-resistant closure (as required)

**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**Manufactured by:** ScieGen Pharmaceuticals, Inc.  
Hauppauge, NY 11788

**Manufactured for:** Westminster Pharmaceuticals, LLC  
Olive Branch, MS 38654

Rev: 11/15

**NDC 69367-121-01**  
**R<sub>x</sub> Only**

**Made in the USA**

**Irbesartan Tablets, USP** **300 mg**

**30 Tablets**

**WP Westminster**

Lot:  
Exp.:

**No Varnish**

N 3 69367-12101 9

Each tablet contains **Irbesartan USP, 300 mg**

**USUAL DOSAGE:** See Prescribing Information for Dosage and Administration

Store at 20° to 25° C (68° to 77° F); excursions permitted to 15° to 30° C (59° to 86° F) [See USP Controlled Room Temperature]

Dispense in a tight container with a child-resistant closure (as required)

**KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN**

**Manufactured by:** ScieGen Pharmaceuticals, Inc.  
Hauppauge, NY 11788

**Manufactured for:** Westminster Pharmaceuticals, LLC  
Olive Branch, MS 38654

Rev: 11/15

**NDC 69367-121-03**  
**R<sub>x</sub> Only**

**Made in the USA**

**Irbesartan Tablets, USP** **300 mg**



**90 Tablets**


**WP Westminster**

Lot:  
Exp.:

**No Varnish**

N 3 69367-12103 3

<p>Each tablet contains: 75 mg of Irbesartan, USP</p> <p><b>Usual Dosage:</b> See package insert for dosing information.</p> <p>Keep this and all medication out of the reach of children.</p> <p>Dispense in a tight container with a child-resistant closure (as required).</p> <p>Store at 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). [See USP Controlled Room Temperature].</p>	<p>NDC 60429-640-90</p> <h1 style="color: #0056b3;">IRBESARTAN</h1> <h2 style="color: #0056b3;">Tablets, USP</h2> <div style="background-color: #0056b3; color: white; padding: 5px; display: inline-block; margin: 5px 0;">75 mg</div> <p>90 Tablets <span style="float: right;">Rx Only</span></p> 	<p>LOT: EXP:</p> <div style="border: 1px solid orange; padding: 5px; text-align: center; color: orange; font-weight: bold; font-size: 1.2em;">NO VARNISH</div>  <p style="font-size: 0.8em;">6042964090</p>	<p>Manufactured by: ScieGen Pharmaceuticals, Inc. Hauppauge, NY 11788</p> <p>Marketed by: GSMS, Incorporated Camarillo, CA 93012 USA</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------

<p>Each tablet contains: 150 mg of Irbesartan, USP</p> <p><b>Usual Dosage:</b> See package insert for dosing information.</p> <p>Keep this and all medication out of the reach of children.</p> <p>Dispense in a tight container with a child-resistant closure (as required).</p> <p>Store at 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). [See USP Controlled Room Temperature].</p>	<p>NDC 60429-641-90</p> <h1 style="color: #0070c0;">IRBESARTAN</h1> <h2 style="color: #0070c0;">Tablets, USP</h2> <div style="background-color: #0070c0; color: white; padding: 5px; display: inline-block; margin: 5px 0;">150 mg</div> <p>90 Tablets <span style="float: right;">Rx Only</span></p> 	<p>LOT: EXP:</p> <div style="border: 1px solid orange; padding: 5px; text-align: center; color: orange; font-weight: bold; font-size: 1.2em;">NO VARNISH</div>  <p style="font-size: 0.8em;">6042964190</p>	<p>Manufactured by: ScieGen Pharmaceuticals, Inc. Hauppauge, NY 11788</p> <p>Marketed by: GSMS, Incorporated Camarillo, CA 93012 USA</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------

<p>Each tablet contains: 300 mg of Irbesartan, USP</p> <p><b>Usual Dosage:</b> See package insert for dosing information.</p> <p>Keep this and all medication out of the reach of children.</p> <p>Dispense in a tight container with a child-resistant closure (as required).</p> <p>Store at 20° to 25°C (68° to 77°F); excursions permitted to 15° to 30°C (59° to 86°F). [See USP Controlled Room Temperature].</p>	<p>NDC 60429-642-90</p> <h1 style="color: #800040;">IRBESARTAN</h1> <h2 style="color: #800040;">Tablets, USP</h2> <div style="background-color: #800040; color: white; padding: 5px; display: inline-block; margin: 5px 0;">300 mg</div> <p>90 Tablets <span style="float: right;">Rx Only</span></p> 	<p>LOT: EXP:</p> <div style="border: 1px solid orange; padding: 5px; text-align: center; color: orange; font-weight: bold; font-size: 1.2em;">NO VARNISH</div>  <p style="font-size: 0.8em;">6042964290</p>	<p>Manufactured by: ScieGen Pharmaceuticals, Inc. Hauppauge, NY 11788</p> <p>Marketed by: GSMS, Incorporated Camarillo, CA 93012 USA</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------



**[More in Recalls, Market Withdrawals, & Safety Alerts \(/Safety/Recalls/default.htm\)](/Safety/Recalls/default.htm)**

**[Archive for Recalls, Market Withdrawals & Safety Alerts \(/Safety/Recalls/ArchiveRecalls/default.htm\)](/Safety/Recalls/ArchiveRecalls/default.htm)**

[Enforcement Reports \(/Safety/Recalls/EnforcementReports/default.htm\)](/Safety/Recalls/EnforcementReports/default.htm) 

**[Industry Guidance \(/Safety/Recalls/IndustryGuidance/default.htm\)](/Safety/Recalls/IndustryGuidance/default.htm)**

[Major Product Recalls \(/Safety/Recalls/MajorProductRecalls/default.htm\)](/Safety/Recalls/MajorProductRecalls/default.htm) 